
Her.



The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable

Center (STIC) ...
form:

Application Serial Number: 09/430, 3/4... 1636 11/13/200

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS. PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,

TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216. PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax) PATENTIN 3.0 e-mail help: patin30help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 3.0 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW:

Checker Version 3.0

The Checker Version 3.0 application is a state-of the-art Windows based software program employing a logical and intuitive user-interface to check whether a sequence listing is in compliance with format and content rules. Checker Version 3.0 works for sequence listings generated for the original version of 37 CFR §§1.821 - 1.825 effective October 1, 1990 (old rules) and the revised version (new rules) effective July 1, 1998 as well as World Intellectual Property Organization (WIPO) Standard ST.25.

Checker Version 3.0 replaces the previous DOS-based version of Checker, and is Y2Kcompliant. Checker allows public users to check sequence listings in Computer Readable form (CRF) before submitting them to the United States Patent and Trademark Office (USPTO). Use of Checker prior to filing the sequence listing is expected to result in fewer errored sequence listings, thus saving time and money.

Checker Version 3.0 can be down loaded from the USPTO website at the following address: http://www.uspto.gov/web/offices/pac/checker

SERIAL NUMBER: ERROR DETECTED SUGGESTED CORRECTION ATTN: NEW RULES CASES: PLEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INSERTED BY PTO SOFTWARE The number/text at the end of each line "wrapped" down to the next line. Wrapped Nucleics This may occur if your file was retrieved in a word processor after creating it. Please adjust your right margin to .3, as this will prevent "wrapping". The amino acid-number/lext at the end of each line "wrapped" down to the next line. Wrapped Aminos This may occur if your file was retrieved in a word processor after creating it. Please adjust your right margin to .3, as this will prevent "wrapping". The rules require that a line not exceed 72 characters in length. This includes spaces. Incorrect Line Length The numbering under each 5th amino acid is misaligned. This may be caused by the use of tabs Misaligned Amino Acid between the numbering. It is recommended to delete any tabs and use spacing between the numbers. Numbering This file was not saved in ASCII (DOS) text, as required by the Sequence Rules. Non-ASCII Please ensure your subsequent submission is saved in ASCII text, so that it can be processed. Sequence(s) ____ contain n's or Xaa's which represented more than one residue. Variable Length As per the rules, each n or Xaa can only represent a single residue. Please present the maximum number of each residue having variable length and indicate in the (ix) feature section that some may be missing. A "bug" in PatentIn version 2.0 has caused the <220>-<223> section to be missing from amino acid Patentin ver. 2.0 "bug" _____. Normally, PatentIn would automatically generate this section from the previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section to the subsequent amino acid sequence. This applies primarily to the mandatory <220>-<223> sections for Artificial or Unknown sequences. missing. If intentional, please use the following format for each skipped sequence: Skipped Sequences Sequence(s) _ (2) INFORMATION FOR SEQ ID NO:X: (OLD RULES) (i) SEQUENCE CHARACTERISTICS:(Do not insert any headings under "SEQUENCE CHARACTERISTICS") (xi) SEQUENCE DESCRIPTION:SEQ ID NO:X: This sequence is intentionally skipped Please also adjust the "(iii) NUMBER OF SEQUENCES:" response to include the skipped sequence(s). Sequence(s) ____ missing. If intentional, please use the following format for each skipped sequence. Skipped Sequences <210> sequence id number (NEW RULES) ₹400> sequence id number Use of n's and/or Xaa's have been detected in the Sequence Listing. Use of n's or Xaa's Use of <220> to <223> is MANDATORY if n's or Xaa's are present. (NEW RULES) In <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents. are missing this mandatory field or its response. Use of <213>Organism (NEW RULES) Sequence(s) _____ are missing the <220>Feature and associated headings. Use of <220>Feature Use of <220> to <223> is MANDATORY if <213>ORGANISM is "Artificial" or "Unknown" (NEW RULES) Please explain source of genetic material in <220> to <223> section. (See "Federal Register," 6/01/98, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of new Rules)

Instead, please use "File Manager" or any other means to copy file to floppy disk.

Patentin ver. 2.0 "bug"

Please do not use "Copy to Disk" function of PatentIn version 2.0. This causes a corrupted

file, resalting in missing mandatory numeric identifiers and responses (as indicated on raw sequence tisting).

1: Ulfors

अंतर के न भीता

1636

TECH GENTER 1600/2900

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/430,590B

Output Set: N:\CRF3\11132000\1430590B.raw

Input Set : A:\Poulterl.app

DATE: 11/13/2000

TIME: 13:13:56

Does Not Comply Corrected Diskette Needed

```
3 <110> APPLICANT: POULTER et al.
             POULTER et al.
      6 <120> TITLE OF INVENTION: UNUSUAL RETROTRANSPOSON FROM THE YEAST CANDIDA ALBICANS
      8 <130> FILE REFERENCE: 674521-2001.1
     10 <140> CURRENT APPLICATION NUMBER: 09/430,590B
     11 <141> CURRENT FILING DATE: 1999-10-29
     13 <160> NUMBER OF SEQ ID NOS: 79
     15 <170> SOFTWARE: PatentIn Ver. 2.1
     17 <210> SEQ ID NO: 1
     18 <211> LENGTH: 1309
     19 <212> TYPE: DNA
     20 <213> ORGANISM: Candida albicans
     22 <220> FEATURE:
     23 <221> NAME/KEY: variation
     24 <222> LOCATION: (1)..(1309)
     25 <223> OTHER INFORMATION: N stands for any nucleotide
     27 <400> SEQUENCE: 1
     28 ctggataaag aaatcagaaa agagatagca ggaaaaccag gaaaaggtga cgatgatgac 60
     29 gacgacagtt ggggatotgt yeetgtttea attegagtat tigetgaagt igaaaagaag 120
     30 ttgaagcaaa agaaaagttt ggcatcaagc tagatattta tatatgtata tgattagacc 180
     31 aacataaaac tagacgtcca aatatttatt tatttattta ttgatatata ttcttattta 240
     32 ttactyttat gatettttga tteaeacaga gatttaatee aaateaatae ettttgtttt 300
     33 gtagaaatet titgettett eaatitgtat titeaatiet tigtattiat gitetitgte 360
     34 titgaatgta acaatteeee aacetaacgt tgataaggea taagacecaa atgtgactaa 420
     35 tecceaceat ggeaagtatg geaatattte ategtgtatt ttagetggag ttggaateae 480
     36 acctgtgata agagcaaaat aaatagctga taaggcaaaa attgttaatc etgttteagt 540
     37 agetttagte attettatag ttagaettgt taaagggtag ttgtgttaat tgaagatatg 600
     38 ctggaaaact atactttteg ttgtttttt ttttcaatet aggtegggtg tgctgttatt 660
     39 ttttttctct cttcttggtt cttagtattg gattatatgt tggtttatgc gacgtttgtg 720
     40 toagggaaat aacacettga tataagtegt gegtattagg teaacattgg tgaaaaattt 780
     41 quarteated adadecage attagtata aaagaagaga aaagaaagat atttaggata 840
     42 tttattatat agggaccgag tttcaggaga cacttttagt gggcgtaaac ttcattcact 900
     43 etgittitig ettattacaa attateacet ategigiaet aggaetaati eteaegaata 960
     44 ttccgtgtat acaaacactt attgccaact tatggtgcgg aactttattt gtctgaacca 1020
     45 aaatcaaaqt cacatcattt aaatgaacgt tgacataaat agattettta tteaatagaa 1080
46 acaatttett cettintett tiettigtat taniggitag atticeatte catatacaca 1140
     47 caagatgtoa acgaaatcag caaattcaac tgotgtoaat toatttaatg caaaccacto 1200
     48 caactatgac gtttttagac ettcattcac eccagttttg gtcaatacat tettagtaca 1260
     49 tettggatta getacgaaaa acceagatga caettteaet titgacata
     52 <210> SEQ ID NO: 2
     53 <211> LENGTH: 1340
     54 <212> TYPE: DNA
     55 <213> ORGANISM: Candida albicans
     57 <220> FEATURE:
     58 <221> NAME/KEY: variation
     59 <222> LOCATION: (1)..(1340)
     60 <223> OTHER INFORMATION: N stands for any nucleotide
```






RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/430,590B

DATE: 11/13/2000 TIME: 13:13:56

Input Set : A:\Poulterl.app

Output Set: N:\CRF3\11132000\1430590B.raw





PATENT APPLICATION: US/09/430,590B

DATE: 11/13/2000 TIME: 13:13:56

Input Set : A:\Poulterl.app
Output Set: N:\CRF3\11132000\1430590B.raw

117	ggtgaaaaat	tttcttagaa	aatttgttct	ttccttcaac	tgctttgaag	agagggaggt	360	
118	tcaagtggtt	taagtacgac	ggtcacaaag	attgcggctt	atgaggcccg	aactgagttg	420	
119	aaatacaaaa	tcaagatata	attatatacc	ttacttgtct	atattgtttt	ataatacatt	480	
120	cttcagatat	ttaaatttct	gtgtateate	ctataaaaca	gagatacatt	cagtgeattt	540	
121	aqtatactga	gtgaactggt	acctgtgaca	ttcaagataa	ctgtttcacg	caegetggea	600	
122	gacgaacacc	aatagtatga	tgaagaactg	accatggtgt	aagaggtttg	atggagtttc	660	
123	tttttttag	aaqaqqttqa	taagccaaca	gatgaggagt	aacaagtaac	tcgcaacatt	720	
124	gtataacata	agtttacatc	aaatcagaat	ttactaagaa	aatcaatcca	ttcaaaaggc	780	
	actcaatcat		agcttaatga	gtagacggtc	tgttcatatg	aaacaattga	840	
126	aagggttgaa	tattqtttqq		aattcatgtc	aaactgggag	gcttaaatta	900	
127	tggtcactcc	acagattatq	aaacgtagtt	acacaattct	tggacctgga	aatcccacaa	960	
128	gagagegtta	gttagtttgc	actetectea	ccagttaaac	tacccatgat	totocaatgt	1020	
129	ggcttattta	agtatcagac	aacagataca	tggtttccaa	gtggtctcat	ttttggttta	1080	
	ctggagtctg			ttcaaaacta	attaatgtag	cttctatttg	1140	
131	atageetetg	ttatqqaaat	agatttgete	tgcccagtgg	gtgtaattat	teccagetgg	1200	
132	aactattccg	atagatatgt	tttaatgtca	atttaaatct	tgtaataata	gtaaggatgc	1260	
133	ggtttatccg	cgatettett	aatacctqtq	qaqttactcc	agaacagagg	ttcaattttt	1320	
134	tettggttgg	taaattatcc	gagtaacacq	gggtagettg	gttactccag	ttgagaatgt	1380	
135	aaactataga	tgaagatttc	aacacqcaat	tattacccca	cct.tggcgaa	ttactaatcg	1440	
136	actatttgtt	aatccaqaaa	aaattataca	caaacactgc	ctttttttaa	aaaaagcgtt	1500	
137	attttgatgg	aacqataatt	aacgatggtt	ctgcacaaaa	atgtggtcca	aagccccaga	1560	
138	ctattctgaa	gtatgatttq	ttacttaatt	tagtgaataa	ttaaacataa	aatctggaga	1.620	
139	aaaattttt	ttttgctctc	atgaccagtg	gcaaattctt	ggtaacgagg	cttaacatta	1680	
140	atccgcaaat	tacctqqcaa	cagagaaaac	acccagaaag	ttctgtcgta	tgagaaaacc	1740	
141	tacagttgtt	tecgatttet	ccgagcacta	aacataaaga	gaccagtaat	gctaaaaaaa	1800	
142	tttttatttc	tocattacto	tttttagcaa	atacacqtct	aatttattgt	atttgttaaa	1860	
143	cattetttte	ctgaaatttt	aagaaaat.gt	tttggtttgt	tggaattcca	ttt.aaacggt	1920	
144	actttggggt	gcagacagca	atccatttqq	agagtggcaa	gtctacacga	atttagctaa	1980	
145	ggttcactat	ateqtqtaac	aagaaatttc	tataccaaat	aaacagcact	tgattgaact	2040	
146	acaatatgta	aaaacttgct	tttattacca	gtcttcatac	ataccccggt	cttctcttt	2100	
	caatattctg			-			2112	
	<210> SEQ 1							
	<21.1> LENG							
	<212> TYPE							
	3 <213> ORGANISM: Candida albicans							
155	<400> SEQUE	ENCE: 5						
156	ttagaaaaca	ggaaacagca	atagagagca	ataattgaaa	aatagtgttg	tcaacaatag	60	
157	aacaaattqq	tcaaacttta	aatgcaaaac	atgaaattcc	caatttccag	aataaataat	120	
158	atcagcatac	atggccccga	aaactacttt	accgtgtcgc	tttaaccccc	cccttcctaa	180	
159	aacgagacaa	ttagacatac	attccacaat	tateataate	ccctttttt	teettacaaa	240	
160	acactttatt	tttgtcgttt	togttatttg	cttcgacgac	attgtaaact	ctttggattt	300	
161	gcagtagtag	tgctcctgqt	gtaaggtggg	tttggttgta	gagtaaaaga	aacgacaatt	360	
162	gattacacct	cgatatgcat	acgcatggca	aagagaatac	cgagttaata	gtgagtctat	420	
1.63	tagtgttgca	ggaaaagtta	tacgaacaac	attttgttta	gtgtggatat	tecagateaa	480	
164	caacaatatq	actaaaatca	tagctctaat	tttcagttta	cctttgttta	ttacgatact	540	
1.65	gccacagtcq	tgctgtacca	gggtcagttt	tagaaaaact	attctagaaa	tgatgagtag	600	
166	aaatgtacta	ttatgagcaa	tatttcaaaa	agtgaaatta	taattgctgc	tgacaacacc	660	
1.67	aacaatacat	acaaatttgg	aaacgagcaa	atcgagaaaa	tttcaatccg	tttagcaagt	720	
168	tättegttgt	cgtcattgtc	gattagtttc	agtttctaga	ggtgaaattt	tctatggcac	780	
			-					





RAW SEQUENCE LISTING PATENT APPLICATION: US/09/430,590B

DATE: 11/13/2000 TIME: 13:13:56

Input Set : A:\Poulterl.app
Output Set: N:\CRF3\11132000\I430590B.raw

						agagaggatc	
170	ctctccaaac	aggattgcag	gaagttttac	acgagaatga	tttactacac	gacgttgaat	900
						ttgtataaaa	
						actttgagaa	
						tgttcctgat	
174	tgattgttgt	tatttattt	ttatctccga	attcctgcac	aatggct.caa	caacagecaa	11.40
175	cacggatcac	acattadatt	tittittcgt	geaggaeece	gtggtgqtqq	ctgtggctgt	1200
						ttcagtatga	
177	ggaagaaatt	aagegatate	ggtttatgat	gtgtttagtt	attaattgct	ctcaatggtt	1320
178	tteaacaacg	tatacaaaac	tägtggtgct	tgaaacgaat	gagtaataca	gatctaatta	1380
179	agctgtgatt	ttctaagttt	goottgtoto	tacagttcaa	aaaaaaagaa	cagaacacct.	1440
180	cagaggctgt	tgtgatgcaa	tttttaggaa	cctcaacaac	aaccactgac	tgatctaage	1500
181	cagcatetgt	ttaatgggtt	ttcaaaaaga	atggggcaaa	cggggaattg	aaccccgggc	1560
1.82	ctcctcgaat	tttgtgtttg	gtgaacaacc	caaacgagga	atcataccac	tagaccattc	1620
						teagetttat	
184	tacagatagt	catgtttgca	tggatgaatt	agtactacta	ataatataaq	aaaactagtt	1740
185	aattggagtc	aatgtcttat	acatgtcttc	tgatgggtta	tgcattgatt	aattatgaat	1800
186	ttcttttaaa	tacaatctat	tgctattatt	tgtatgtaaa	actttaccca	aaaaccaaca	1860
187	aaaaagagtg	gtcttggata	aagattaaag	taattccaaa	aagatttggt	aattagctat	1920
188	attgttttga	cqtacatcta	taactacaaa	tagccattca	gtttgattat	gtatattgac	1980
189	ataqttqqat	ttgtaatttc	tgttaaaatg	gaaaacccta	atcaaatgta	tatgttgaat	2040
						caatacttat	
1.91	atctcctqqa	aactgataca	caaacgaatt	gttaaactat	aacactcgac	gttcacatct	2160
192	aaggattcat	cqtcqttaaq	atttatactc	attagcaaac	teacttgeca	tattaaacac	2220
193	tteteaatet	atttcccaca	atccaattaa	teageaegaa	aactaagata	ctatatatat	2280
194	ctgcctatac	ctgatataca	catggcacat	ggcgtatece	acaaaaaacc	gtcaagacaa	2340
1.95	caccaatatg	acaatgccaa	ttatacaatt	gcatatacca	cgtgacttca	ttttatggtc	2400
196	atgagaaatt	aacttatcat	ggggttaggc	gagaatatca	actgttcgct	atagagagat	2460
1.97	ttcctagecg	gaatgcacga	caatectgag	acggaagtcg	ategacgatg	cccatggtgc	2520
198	gtggtgaaaa	attttcttag	aaaatttgtt	ctttccttca	actgctttga	agaaagggag	2580
199	gttcaagtgg	tttaagtacg	acggtcacaa	agattgcggc	ttatgaggcc	cgaactgagt	2640
						ttataataca	
201	ttcttcagat	atttaaattt	ctqtqtatca	ttctataaaa	cagagataca	ttcagtacat	2760
						egeacgetgg	
203	cagacgaaca	tcaacactga	tcatttgttt	tttttttatt	teteetttt	ctcctttttc	2880
204	tttcttt.ttt	cttctttctt	cagacgttgt	tgatttattt	tatogacayo	atcetttet	2940
205	ttggccacat	atccaagcga	tatactggcc	aaagcgaagt	ccttttataa	agcaatgcta	3000
						atattttatg	
207	gggtatcact	tgtaccaaac	actttgatac	gataagaata	tttgtaatac	taacttcagt	3120
208	gtott.tcata	atcagctcat	aacctgttgg	aatttaaatt	cgtatgttgt	tcattcaaaa	3180
209	ttttgataaa	tgggacgaga	aatcatcgtt	gcctcctaat	tagattatga	cttagtacta	3240
210	actaaactgt	ttatcatttt	ttaaagcgtt	gggctccatg	ttagaataga	ttattagggc	3300
211	ggtacgtatt	tcataattta	tatataggta	cttattttta	ctaatttatt	gcacaggaaa	3360
						tatttttacc	
						cctggataaa	
						gattcatttc	
						atcttttgta	
						ttataattat	
217	atgtgagatt	tcatatglaa	gatgttgtta	tctctttcca	ttatttaget	tttttgaaaa	3720
		-			-		






RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/430,590B

DATE: 11/13/2000 TIME: 13:13:56

Input Set : A:\Poulterl.app

Output Set: N:\CRF3\11132000\I430590B.raw



<210> 16 <211> 6140 <212> DNA <213> Candida albicans 09/43 90B Partiel listing of Sequence 16

<400> 16 agtaaaaaaa gaagaaaaaa aagctaaaat tgggacaata tgctaagtat atatagggga 60 agacgtcgaa cagcaaccac ggaaaaataa tagtgattgt ctttatccgt tattggctgg 120 atggcgacgc cacaacctga aatttggttc caactgttga ggatgattta tgtttgtgat 180 tagaactaaa atcattcgag aaaaaaggaa taggagagaa ccaactttag tcgtgtaaaa 240 agtaacatct gccaattata aactatacgt agtccaaata atttacggta tatttctgta 300 ccccttcttg gcaatatcac aagaatatca taatgttcat gaaccctctt tgaacacgta 360 gacaagtaaa cccaatgagg gggcagtgtt ctattcttgt aaactgcgca ccaaaaacgg 420 ggcttaaaaa ataagttatg aaaactataa ataaccatga aaatcaccct actcccttcc 480 tecetteett cetteettee tteetttet etttteetet acceacacta etcacaatgt 540 tcggtatttt tgaggaaaac tacgattctg tttacaaagg caaccacgaa gccaagttct 600 ctcacgaagc agttgctggt gctgcttcat ttgctgctgt caagttgttt gaagatagac 660 aaagaagaga agggaaacca gttagtcacg cctttgctaa agaagcttta gctgctattg 720 ctggtggaga agtcgacaaa ttatttgaaa ccaaagggtt ggactatttg gatagagaa 780 gacttagaga tcaagctatc aacaacgctc aaagaggtta cgacgaccat tacggtcaac 840 acgaagaatg gtctccagaa cacagaccac cttttgacta ccaaagatat taagtagaaa 900 ctgtgtagtg aatttacaat ttttttgaca agaattaact taaacctcgt ttttaggttt 960 tgtgcggctt ttgtcaattg acgatcctgt atatttcgtc ataattcaca cattcttaaa 1020 attatgcaca catcettgaa atgtgttaat atteceaaca ttateaatta tatgtgttea 1080 gaattggttg caaagttatc aactcaattc acgctatata aaccttacaa attctctaca 1140 tttttatatt tttttatatt ggcttttctt ttagaatcaa tcaatacttt ttttatcatt 1200 tagatacatc tttcatctat taatagatta tctttctata tatcaaaaca cgacacagtc 1260 acgtgccaaa aaggatataa gaaggaactt cagaaaatta attttctgat tatactactt 1320 actagatttc ataaagtcaa tatctgattg atacaacttg gttcattatt cataaaactt 1380 tacaactaat tonacaagina aacconacaa aaaaatcona atinaaataat onnnnnaata 1440 tttccacgga cacattcacc aagaccatct ggttcacgag aacaggaaga tctcacactg 1620 atgattaaag cttttagaga ttcaatggaa gctaagcttg acttgcattc gcagaagctt 1680 actgctttgg tagcaaacat tcccagaacg gacgaagggt ttgaagattt atcacaaagg 1740 atcactgttc ttaaaaaatca tcaaaaagca tttttgccca aacaagaaaa agaaatcgga 1800 agtcttctcc acagacaaag agaggaagaa ggtgatatta aggatttcaa aacagtcgtt 1860 ggtgaagaaa aagaagaatt gcaccaggtt gaagatttcg ttttaaaaga tcaagaagaa 1920 ttacgaaacg tcgaaaagaa agttttgaaa gaagaagaag aattgcaaaa agtggaagag 1980 tcaatggaaa aggaaaaaca agagttatac caggttgaag actttatttt gcaaagagat 2040 gagacggtaa agaaacttgg agaaagcaat caatctcaac aggaaccata tacacctgca 2100 acttctggtt cggatcagag attcagatct caacaaccta acattggaaa taccttagcg 2160 caggatctag cattaattcc aaaattagat ctggaaattt gcaaaattgc agtcaaatat 2220 ccaaaattat ttgaaacaaa attaagacca ccaccaccca gagactttca atataaaatt 2280 caactcacag accacactca aatttattca aaaccatata aatgcaatca agaagaacaa 2340 gctctcatca aggatttcat caatgaaaaa ttagaagcag gcgttttggt accagctcca 2400 attgatgctt ggttacaccc aatatttcca atcagaaaaa ccaatgccaa ccaatcctcc 2460 accaaaatag cagttgattt aagacgtctc aataaggtca cagtacgaat gtacacttat 2520 ccaacagaca caaaagacct cttatcctca ctaacagatt cccactattt tagcgcttta 2580 gacttaaaga atgcgttcta tcaggtaagc atacacaagg atagtataaa atattttggg 2640 atttcaacat ccgaggggaa ttattgcttt acaactttac cgtttggagc aatcaattcc 2700 ccaaccatct ttactaactt tgtgagacag attttagagg ggatcccatg tatatttata 2760 tacatggatg atatecteat ceatactaaa acettacatg accaeatgte attacteagg 2820 agaatcatgg agaaactaaa tgagcatcag tttcaaatga attataacaa gatgcaatta 2880 ttaacaacaa aaatcaattt cttagggtac agcattcaag cgaacaaaat atcaccagat 2940 atttccaaaa ttcaagcaat acaaaattgg gaattgccca cgaccactac tcaaatcaga 3000 gcatttgtca atttcagcaa ccactttcgc atcttcatcc cagaaatagc aaaatttact 3060

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.



VERIFICATION SUMMARY

PATENT APPLICATION: US/09/430,590B

DATE: 11/13/2000 TIME: 13:13:57

Input Set : A:\Poulterl.app

Output Set: N:\CRF3\11132000\1430590B.raw

```
L:46 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:63 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2
L:64 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2
L:65 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2
L:66 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2
L:68 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2
L:69 M:341 W: (46) "n" or "Xaa" used, for SEQ ID\#:2
L:70 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2
L:71 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2
L:72~M:341~W:~(46) "n" or "Xaa" used, for SEQ ID#:2
L:79 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2
L:235 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6
L:299 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8
L:301 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8
L:357 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8
L:358 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8
L:556 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9
L:664 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11
L:731 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:746 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13
L\colon 770~M\colon 341~W\colon (46) "n" or "Xaa" used, for SEQ ID#:13
L:771 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13
L:772 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13
L:796 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14
L:873 M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:16
L:873~M:258~W: Mandatory Feature missing, <221> not found for SEQ ID#:16
L:873 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:16
L:873 M:258 W: Mandatory Feature missing, <223> not found for SEQ ID#:16
L:873 M:340 W: (46) "n" or "Xaa" used: Feature required, for SEQ ID#:16
L:1367 M:258 W: Mandatory Feature missing, <223> not found for SEQ ID#:20
L:1367 M:340 W: (46) "n" or "Xaa" used: Feature required, for SEQ ID#:20
L:1381 M:258 W: Mandatory Feature missing, <223> not found for SEQ ID#:20
M:340 Repeated in SeqNo=20
L:1384 M:258 W: Mandatory Feature missing, <223> not found for SEQ ID#:20
L:1385 M:258 W: Mandatory Feature missing, <223> not found for SEQ ID#:20
L:1433 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21
L:1434 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21
L:1521 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23
L:1553 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23
L:1578 M:341 W: (46) "n" or "Xaa" used, for SEQ 1D#:23 L:1624 M:341 W: (46) "n" or "Xaa" used, for SEQ 1D#:24
L:1634 M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:25
L:1634 M:258 W: Mandatory Feature missing, <221> not found for SEQ ID#:25 L:1634 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:25
L:1634 M:258 W: Mandatory Feature missing, <223> not found for SEQ ID#:25
L:1634 M:340 W: (46) "n" or "Xaa" used: Feature required, for SEQ ID#:25
L:1635 M:258 W: Mandatory Feature missing, <220> not found for SEQ ID#:25
L:1635 M:258 W: Mandatory Feature missing, <221> not found for SEQ ID#:25
```





VERIFICATION SUMMARY

PATENT APPLICATION: US/09/430,590B

DATE: 11/13/2000 TIME: 13:13:57

Input Set : A:\Poulterl.app

Output Set: N:\CRF3\11132000\I430590B.raw

L:1635 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:25
L:1635 M:258 W: Mandatory Feature missing, <223> not found for SEQ ID#:25
M:340 Repeated in SeqNo=25
L:1696 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26
L:1697 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26
L:1698 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26
L:1699 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26
L:1700 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26
L:1710 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26
L:1711 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26
L:1728 M:258 W: Mandatory Feature missing, <223> not found for SEQ ID#:27
L:1728 M:340 W: (46) "n" or "Xaa" used, for SEQ ID#:28
L:1819 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28
L:1820 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28
L:2375 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:44
L:4009 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:72